

09/461,627 COFC



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor: William P. Van Antwerp et al.  
Patent No.: 6,750,311 B1  
Issued: June 15, 2004 Docket: G&C 130.24-US-C1  
Title: DETECTION OF BIOLOGICAL MOLECULES USING BORONATE-BASED CHEMICAL AMPLIFICATION AND OPTICAL SENSORS

CERTIFICATE OF MAILING OR TRANSMISSION UNDER 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on September 16, 2004.

By:   
Name: William J. Wood

Attn: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22213-1450

Certificate  
SEP 23 2004  
of Correction


Dear Sir:

We are transmitting herewith the attached:

- ☒ Transmittal sheet, in duplicate, containing a Certificate of Mailing under 37 CFR 1.8.
- ☒ Second Request for Certificate of Correction and Certificate of Correction (in duplicate).
- ☒ Return postcard.

Please charge all fees to Deposit Account No. 50-0494 of Gates & Cooper LLP. A duplicate of this paper is enclosed.

**GATES & COOPER LLP**  
Howard Hughes Center  
6701 Center Drive West, Suite 1050  
Los Angeles, CA 90045  
(310) 641-8797

By:   
Name: William J. Wood  
Reg. No.: 42,236  
WJW/jml

27 SEP 2004




IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: William P. Van Antwerp et al.  
Patent No.: 6,750,311  
Issued: June 15, 2004 Docket: G&C 130.24-US-C1  
Title: DETECTION OF BIOLOGICAL MOLECULES USING BORONATE-BASED CHEMICAL  
AMPLIFICATION AND OPTICAL SENSORS

**CERTIFICATE OF MAILING OR TRANSMISSION UNDER 37 CFR 1.8**

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on September 16, 2004.

By:   
Name: William J. Wood

Attn: Certificate of Correction Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


Dear Sir:


We are transmitting herewith the attached:

- ☒ Transmittal sheet, in duplicate, containing a Certificate of Mailing under 37 CFR 1.8.
- ☒ Second Request for Certificate of Correction and Certificate of Correction (in duplicate).
- ☒ Return postcard.

Please charge all fees to Deposit Account No. 50-0494 of Gates & Cooper. A duplicate of this paper is enclosed.

**GATES & COOPER LLP**  
Howard Hughes Center  
6701 Center Drive West, Suite 1050  
Los Angeles, CA 90045  
(310) 641-8797

By:   
Name: William J. Wood  
Reg. No.: 42,236  
WJW/jml




IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent No.: 6,750,311 Docket: G&C 130.24-US-C1  
Issue Date: June 15, 2004 Patentee: William P. Van Antwerp et al.  
Title: DETECTION OF BIOLOGICAL MOLECULES USING BORONATE-BASED CHEMICAL AMPLIFICATION AND OPTICAL SENSORS

CERTIFICATE OF MAILING OR TRANSMISSION UNDER 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on September 16, 2004.

By:   
Name: William J. Wood

SECOND REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

It is requested that a Certificate of Correction be issued correcting printing errors appearing in the above-identified United States patent. Two copies of the text of the Certificate in the suggested form are enclosed.

☒ As none of the errors listed is due to Applicants' mistake, no fee is necessary in connection with this Certificate.

Issuance of the Certificate of Correction would neither expand nor contract the scope of the claims, and re-examination is not required.

27 SEP 2004

G&C 130.24-US-C1

Please charge any additional fees or credit any overpayment to Deposit Account

No. 50-0494 of Gates & Cooper LLP.


Respectfully submitted,

William P. Van Antwerp et al.  
By their attorneys,

GATES & COOPER LLP

Howard Hughes Center  
6701 Center Drive West, Suite 1050  
Los Angeles, California 90045  
(310) 641-8797

Date: September 16, 2004

By:   
Name: William J. Wood  
Reg. No.: 42,236

WJW/jml

27 SEP 2004

Staple  
Here  
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,750,311 *B1*

PAGE 1 of 1

DATED : June 15, 2004

INVENTOR(S) : William Peter Van Antwerp et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 24

Line 13, "electrode" should read --electronic--.

Column 26

Line 7, "permeate" should read --permeable--.

MAILING ADDRESS OF SENDER:

Gates & Cooper LLP  
Attn: George H. Gates  
6701 Center Drive West Suite 1050  
Los Angeles, CA 90045

PATENT NO. 6,750,311 *B1*

Docket No. 130.24-US-C1

No. of add'l copies @ 50¢ per page ⇒ 0

27 SEP 2004

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,750,311 *B1*

PAGE 1 of 1

DATED : June 15, 2004

INVENTOR(S) : William Peter Van Antwerp et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 24

Line 13, "electrode" should read --electronic--.

Column 26

Line 7, "permeate" should read --permeable--.

MAILING ADDRESS OF SENDER:

Gates & Cooper LLP  
Attn: George H. Gates  
6701 Center Drive West Suite 1050  
Los Angeles, CA 90045

PATENT NO. 6,750,311 *B1*

Docket No. 130.24-US-C1

No. of add'l copies @ 50¢ per page ⇒ 0

27 SEP 2004